

## DISCOVER THE ROBOT MOWER RANGE

With our new **robot mowers**, keeping the garden spick and span is easier than ever. Practical, intelligent and 100% automated, the **R 500i**, **R 1000i** and **R 2000i** models are designed to take care of your lawn with minimal effort. Equipped with a **mulch cutting system**, they return the finely chopped grass clippings to the ground, improving the health of the lawn in a natural way and without waste.

Reliable in all weather conditions thanks to the **rain sensor**, able to squeeze through the narrowest of bottlenecks and easy to control remotely via the **free Oleo-Mac Robot Mower app**, they offer **advanced features** such as multi-zone management, ultrasonic obstacle detection, spiral cutting and child lock mode.

Compact, quiet and **water resistant (IPX5)**, our robots are the ideal choice for anyone who wants a constantly well-kept lawn while saving time and resources. Discover the full range and find the perfect model for your garden!



### Up to 1000 m<sup>2</sup>



The **R 500i** robot mower is designed to operate on lawns up to 500 m<sup>2</sup>. Compact and lightweight, it can easily reach tight spaces. With the ultrasonic sensor (optional), it detects obstacles and ensures uniform and consistent mowing. The **R 1000i** robot mower is designed to operate on areas up to 1,000 m<sup>2</sup>. With **Flex Cut** mode, its speed is automatically adjusted to cut tall grass without overloading the engine. It is equipped with a **removable 5 Ah lithium-ion battery**, which ensures long operating times and can be recharged during winter storage.

---

### Up to 2000 m<sup>2</sup>



This model is **perfect for gardens up to 2,000 m<sup>2</sup>**. Thanks to the **rain sensor**, the robot automatically suspends work during bad weather and offers you personalised, uniform cutting for each identified area.

---

# Up to 1000 m<sup>2</sup>

The R 500i robot mower is designed to operate on lawns up to 500 m<sup>2</sup>. Compact and lightweight, it can easily reach tight spaces. With the ultrasonic sensor (optional), it detects obstacles and ensures uniform and consistent mowing. The R 1000i robot mower is designed to operate on areas up to 1,000 m<sup>2</sup>. With **Flex Cut mode**, its speed is automatically adjusted to cut tall grass without overloading the engine. It is equipped with a **removable 5 Ah lithium-ion battery**, which ensures long operating times and can be recharged during winter storage.



## Plus point



### Fully independent

Control the robot remotely with the Oleo-Mac Robot Mower app. Download it for free to manage advanced cutting features and plan your mowing.



### Water resistant

Thanks to the IPX5 system, you can position the robot vertically and wash the cutting deck with water jets from any angle.



### Enhanced visibility

To ensure better visibility, we have equipped the robot with an innovatively designed front and rear LED light.



### Practical display

With one tap you can activate it, turn it off, send it back to the charging station and view the battery status.

## Technical data

Model	 <b>R 500i</b>	 <b>R 1000i</b>
<b>Operating time</b>	40 min	100 min
<b>Surface area / max. gradient</b>	max 500 m <sup>2</sup> /36 %	max 1,000 m <sup>2</sup> /36 %
<b>Cutting diameter</b>	18 cm	18 cm
<b>Battery</b>	Bi 220 Li-Ion (2.0 Ah/20 V)	Bi 250 Li-Ion (5.0 Ah/20 V)
<b>Charging time</b>	60 min	60 min
<b>Cutting system motor speed</b>	3,200 rpm	3,200 rpm
<b>Guaranteed sound power level</b>	61 dB(A)	61 dB(A)
<b>Cutting height</b>	30 - 40 - 50 - 60 mm	30 - 40 - 50 - 60 mm
<b>Dimensions (length x width x height)</b>	562×360×230 mm	562×360×230 mm
<b>Boundary cable supplied</b>	120 m	150 m
<b>Plus</b>	< 500 m <sup>2</sup>	< 1000 m <sup>2</sup>
<b>Weight with battery</b>	9.0 kg	9.3 kg

# Up to 2000 m<sup>2</sup>

This model is **perfect for gardens up to 2,000 m<sup>2</sup>**. Thanks to the **rain sensor**, the robot automatically suspends work during bad weather and offers you personalised, uniform cutting for each identified area.



## Plus point




### Water resistant

Thanks to the IPX5 system, you can position the robot vertically and wash the cutting deck with water jets from any angle.



### Smartphone control

Discover the free Oleo-Mac Robot Mower app, which automatically updates thanks to over-the-air (OTA) technology.



### Cutting mode

Choose from various app-based features to adapt the robot's work based on your lawn's layout and characteristics.



### Smart control via app

With the dedicated app you can set advanced functions such as: rain sensor, ultrasonic sensor, LED lights, child lock and more.

## Technical data

Model	 <b>R 2000i</b>
Operating time	100 min
Surface area / max. gradient	max 2,000 m <sup>2</sup> /36 %
Cutting diameter	22.5 cm
Battery	Bi 250 Li-Ion (5.0 Ah/20 V)
Charging time	120 min
Cutting system motor speed	2,800 rpm
Guaranteed sound power level	65 dB (A)
Cutting height	30 - 40 - 50 - 60 mm
Dimensions (length x width x height)	613×423×267 mm
Boundary cable supplied	250 m
Plus	< 2000 m <sup>2</sup>
Weight with battery	11.0 kg