

DISCOVER THE ROBOT MOWER RANGE

## OLEO-MAC ROBOT LAWN MOWER RANGE

With our new **robot mowers**, keeping the garden spick and span is easier than ever. Practical, intelligent and 100% automated, the **R 500i**, **R 1000i** and **R 2000i** models are designed to take care of your lawn with minimal effort. Equipped with a **mulch cutting system**, they return the finely chopped grass clippings to the ground, improving the health of the lawn in a natural way and without waste.

Reliable in all weather conditions thanks to the **rain sensor**, able to squeeze through the narrowest of bottlenecks and easy to control remotely via the **free Oleo-Mac Robot Mower app**, they offer **advanced features** such as multi-zone management, ultrasonic obstacle detection, spiral cutting and child lock mode.

Compact, quiet and **water resistant (IPX5)**, our robots are the ideal choice for anyone who wants a constantly well-kept lawn while saving time and resources. Discover the full range and find the perfect model for your garden!



Inquadra il qr code e scopri di più su [www.myoleo-mac.com](http://www.myoleo-mac.com)



### Up to 1000 <sup>2</sup>

The **R 500i** robot mower is designed to operate on lawns up to 500 m<sup>2</sup>. Compact and lightweight, it can easily reach tight spaces. With the ultrasonic sensor (optional), it detects obstacles and ensures uniform and consistent mowing. The **R 1000i** robot mower is designed to operate on areas up to 1,000 m<sup>2</sup>. With **Flex Cut mode**, its speed is automatically adjusted to cut tall grass without overloading the engine. It is equipped with a **removable 5 Ah lithium-ion battery**, which ensures long operating times and can be recharged during winter storage.



### Up to 2000 <sup>2</sup>

This model is **perfect for gardens up to 2,000 m<sup>2</sup>**. Thanks to the **rain sensor**, the robot automatically suspends work during bad weather and offers you personalised, uniform cutting for each identified area.

## Up to 1000 <sup>2</sup>

The **R 500i** robot mower is designed to operate on lawns up to 500 m<sup>2</sup>. Compact and lightweight, it can easily reach tight spaces. With the ultrasonic sensor (optional), it detects obstacles and ensures uniform and consistent mowing. The **R 1000i** robot mower is designed to operate on areas up to 1,000 m<sup>2</sup>. With **Flex Cut mode**, its speed is automatically adjusted to cut tall grass without overloading the engine. It is equipped with a **removable 5 Ah lithium-ion battery**, which ensures long operating times and can be recharged during winter storage.



### Technical data

Model	 <b>R 500i</b>	 <b>R 1000i</b>
Boundary cable supplied	120 m	150 m
Dimensions (length x width x height)	562x360x230 mm	562x360x230 mm
Cutting system motor speed	3,200 rpm	3,200 rpm
Battery	Bi 220 Li-Ion (2.0 Ah/20 V)	Bi 250 Li-Ion (5.0 Ah/20 V)
Plus	< 500 m <sup>2</sup>	< 1000 m <sup>2</sup>
Guaranteed sound power level	61 dB(A)	61 dB(A)
Surface area / max. gradient	max 500 m <sup>2</sup> /36 %	max 1,000 m <sup>2</sup> /36 %
Operating time	40 min	100 min
Charging time	60 min	60 min
Weight with battery	9.0 kg	9.3 kg
Cutting diameter	18 cm	18 cm
Cutting height	30 - 40 - 50 - 60 mm	30 - 40 - 50 - 60 mm

# Up to 2000 <sup>2</sup>

This model is **perfect for gardens up to 2,000 m<sup>2</sup>**. Thanks to the **rain sensor**, the robot automatically suspends work during bad weather and offers you personalised, uniform cutting for each identified area.



## Technical data

Model	 <b>R 2000i</b>
Boundary cable supplied	250 m
Dimensions (length x width x height)	613x423x267 mm
Cutting system motor speed	2,800 rpm
Battery	Bi 250 Li-Ion (5.0 Ah/20 V)
Plus	< 2000 m <sup>2</sup>
Guaranteed sound power level	65 dB (A)
Surface area / max. gradient	max 2,000 m <sup>2</sup> /36 %
Operating time	100 min
Charging time	120 min
Weight with battery	11.0 kg
Cutting diameter	22.5 cm
Cutting height	30 - 40 - 50 - 60 mm

## Compatible accessories